



GB

1 / 8

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision: 20.09.2014 Replaces the version of: 11.12.2013 PDF date: 21.09.2014

AUTOSOL® Leather Cleaner (paste-like)

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

SECTION 1: Identification of the substance/mixture and of the company/undertaking

Identification of the substance or mixture / Product identifier

AUTOSOL® Leather Cleaner

Use of the substance/mixture

Cleaning and care product for smooth leather and vinyl leather

Company/undertaking identification / Details of the supplier of the safety data sheet

Autosol LLC PO Box 340358 Austin, Texas 78734

Telephone +1-512-804-9337, Fax +1-512-266-6518

eMail: info@autosol.com

Homepage: www.autosol.com

E-mail address of the competent person: msds@autosol.com

Emergency telephone

Advisory office in case of poisoning:

Tel.:

Telephone number of the company in case of emergencies:

Tel. +1-512-804-9337 (8.00h - 16.00h)

SECTION 2: Hazards identification

To people

See point 11 and 15.

The mixture is classified as dangerous in the terms of the directive 1999/45/EC.

Irritation of the eyes

To the environment

See point 12.

REGULATION (EC) No 648/2004

5 % or over but less than 15 %

aliphatic hydrocarbons

soap

less than 5 %

non-ionic surfactants

polycarboxylates

LIMONENE

SECTION 3: Composition/information on ingredients

Propan-2-ol	
Registration number (ECHA)	-



(GB)

2 / 8

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision: 20.09.2014 Replaces the version of: 11.12.2013 PDF date: 21.09.2014

AUTOSOL® Leather Cleaner (paste-like)

Index	603-117-00-0
EINECS, ELINCS	200-661-7
CAS	CAS 67-63-0
content %	1 - 5
Symbol	F/Xi
R-phrases	11-36-67
Classification categories / Indications of danger	Highly flammable, Irritant

Citric acid monohydrate	
Registration number (ECHA)	-
Index	---
EINECS, ELINCS	201-069-1
CAS	CAS 5949-29-1
content %	1 - 5
Symbol	Xi
R-phrases	36
Classification categories / Indications of danger	Irritant

Sweet orange extract	
Registration number (ECHA)	-
Index	---
EINECS, ELINCS	232-433-8
CAS	CAS 8028-48-6
content %	1 - 5
Symbol	Xi/Xn
R-phrases	10-38-65
Classification categories / Indications of danger	Flammable, Harmful, Irritant

Alkyl polyglycoside	
Registration number (ECHA)	-
Index	---
EINECS, ELINCS	-
CAS	CAS 110615-47-9
content %	1 - 5
Symbol	Xi
R-phrases	41
Classification categories / Indications of danger	Irritant

D-Glucopyranose, oligomer, decyl octyl glycoside	
Registration number (ECHA)	-
Index	---
EINECS, ELINCS	500-220-1 (NLP)
CAS	CAS 68515-73-1
content %	1 - 5
Symbol	Xi
R-phrases	41
Classification categories / Indications of danger	Irritant

For complete wording of the R-phrases / H-phrases (GHS/CLP), refer to point 16.

SECTION 4: First aid measures

4.1 Inhalation

Remove person from danger area.

Supply person with fresh air and consult doctor according to symptoms.

4.2 Skin contact



(GB)

3 / 8

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision: 20.09.2014 Replaces the version of: 11.12.2013 PDF date: 21.09.2014

AUTOSOL® Leather Cleaner (paste-like)

Remove polluted, soaked clothing immediately, wash thoroughly with plenty of water and soap, in case of irritation of the skin (flare), consult a doctor.

4.2 Eye contact

Wash thoroughly for several minutes using copious water. Seek medical help if necessary.

Remove contact lenses.

4.4 Ingestion

Rinse the mouth thoroughly with water.

Do not induce vomiting - give copious water to drink. Consult doctor immediately.

4.5 Special resources necessary for first aid

n.c.

SECTION 5: Firefighting measures

5.1 Suitable extinguishing media

Adapt to the nature and extent of fire.

Water jet spray/foam/CO2/dry extinguisher

5.2 Extinguishing media which shall not be used for safety reasons

n.c.

5.3 Special exposure hazards arising from the substance or preparation itself, combustion products, resulting gases

In case of fire the following can develop:

Oxides of carbon

Oxides of nitrogen

Toxic pyrolysis products.

5.4 Special protective equipment for fire-fighters

In case of fire and/or explosion do not breathe fumes.

Protective respirator with independent air supply.

According to size of fire

Full protection, if necessary

5.5 Further information

Dispose of contaminated extinction water according to official regulations.

SECTION 6: Accidental release measures

Refer to point 13. and for personal protection refer to point 8.

6.1 Personal precautions

Ensure sufficient supply of air.

Avoid contact with eyes or skin.

If applicable, caution - risk of slipping

6.2 Environmental precautions

If leakage occurs, dam up.

Prevent surface and ground-water infiltration, as well as ground penetration.

Prevent from entering drainage system.

If accidental entry into drainage system occurs, inform responsible authorities.

6.3 Methods for cleaning up

Collect using absorbant material (e.g. Universal binding medium, sand, kieselguhr) and dispose of according to point 13.

SECTION 7: Handling and storage

7.1 Handling

Tips for safe handling:

See point 6.1

Ensure good ventilation.

Avoid contact with eyes or skin.



GB

4 / 8

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II
Revision: 20.09.2014 Replaces the version of: 11.12.2013 PDF date: 21.09.2014
AUTOSOL® Leather Cleaner (paste-like)

Eating, drinking, smoking, as well as food-storage, is prohibited in work-room.
Wash hands before breaks and at end of work.
General hygiene measures for the handling of chemicals are applicable.
Observe directions on label and instructions for use.
Use working methods according to operating instructions.

7.2. Storage

Requirements for storage rooms and containers:

Not to be stored in gangways or stair wells.
Store product closed and only in original packing.

Special storage conditions:

See point 10
Store at room temperature.

SECTION 8: Exposure controls/personal protection

8.1 Exposure limit values

GB	Chemical Name	Propan-2-ol	Content %:1 - 5
	WEL-TWA:	400 ppm (999 mg/m3)	WEL-STEL: 500 ppm (1250 mg/m3) ---
	BMGV:	---	Other information: ---

GB WEL-TWA = Workplace Exposure Limit - Long-term exposure limit (8-hour TWA (= time weighted average) reference period) EH40. AGW = "Arbeitsplatzgrenzwert" (workplace limit value, Germany). | WEL-STEL = Workplace Exposure Limit - Short-term exposure limit (15-minute reference period). | BMGV = Biological monitoring guidance value EH40. BGW = "Biologischer Grenzwert" (biological limit value, Germany) | Other information: Sen = Capable of causing occupational asthma. Sk = Can be absorbed through skin. Carc = Capable of causing cancer and/or heritable genetic damage.

** = The exposure limit for this substance is repealed through the TRGS 900 (Germany) of January 2006 with the goal of revision.

8.2 Exposure controls

8.2.1 Occupational exposure controls

Ensure good ventilation. This can be achieved by local suction or general air extraction.
If this is insufficient to maintain the concentration under the WEL or AGW values, suitable breathing protection should be worn.
Applies only if maximum permissible exposure values are listed here.
General hygiene measures for the handling of chemicals are applicable.
Wash hands before breaks and at end of work.
Keep away from food, drink and animal feedingstuffs.
Respiratory protection:
Normally not necessary.
If OES or MEL is exceeded.
Filter A2 P2 (EN 14387), code colour brown, white
Hand protection:
Chemical resistant protective gloves (EN 374).
If applicable
Protective nitrile gloves (EN 374)
Protective gloves in butyl rubber (EN 374).
Protective hand cream recommended.
Eye protection:
Tight fitting protective goggles with side protection (EN 166).
Skin protection:
Protective working garments (e.g. safety shoes EN ISO 20345, long-sleeved protective working garments)

Additional information on hand protection - No tests have been performed.
Selection made for preparations according to the best available knowledge and information on the ingredients.
Selection of materials derived from glove manufacturer's indications.



(GB)

5 / 8

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision: 20.09.2014 Replaces the version of: 11.12.2013 PDF date: 21.09.2014

AUTOSOL® Leather Cleaner (paste-like)

Final selection of glove material must be made taking the breakthrough times, permeation rates and degradation into account.

Selection of a suitable glove depends not only on the material but also on other quality characteristics and varies from manufacturer to manufacturer.

In the case of preparations the resistance of glove materials cannot be calculated in advance so it has to be tested before use. The exact breakthrough time of the glove material can be requested from the protective glove manufacturer and must be observed.

8.2.2 Environmental exposure controls

n.av.

SECTION 9: Physical and chemical properties

9.1 General information

Physical state:	Pastelike
Colour:	Beige
Odour:	Orange

9.2. Important health, safety and environmental information

pH-value undiluted:	6,2
1 % pH-value:	6,9
10 % pH-value:	Not detected
Boiling point/boiling range (°C):	>= 100
Melting point/melting range (°C):	Not detected
Flash point (°C):	> 100
Flammability (solid, gas):	No
Oxidising properties:	No
Minimum limit of explosion:	n.a.
Maximum limit of explosion:	n.a.
Product is not explosive.	
Density (g/ml):	0,96
Water solubility:	Mixable, partially
Viscosity:	160 - 240 mPas (20°C)

SECTION 10: Stability and reactivity

Conditions to avoid

See point 7

Stable when handled and stored correctly.

Materials to avoid

See point 7

No dangerous reactions are known.

Hazardous decomposition products

See point 5.3

No decomposition when used as directed.

SECTION 11: Toxicological information

Acute toxicity and immediate effects

Ingestion, LD50 rat oral (mg/kg):	n.av.
Inhalation, LC50 rat inhal.(mg/l/4h):	n.av.
Skin contact, LD50 rat dermal (mg/kg):	n.av.
Eye contact:	See point 15.

Delayed and chronic effects

Sensitization:	n.c.
Carcinogenicity:	n.c.



GB

6 / 8

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision: 20.09.2014 Replaces the version of: 11.12.2013 PDF date: 21.09.2014

AUTOSOL® Leather Cleaner (paste-like)

Mutagenicity:	n.c.
Reproductive toxicity:	n.c.
Narcosis:	n.c.

Further information

Classification according to calculation procedure.

The following may occur:

With long-term contact:

Drying of the skin.

Dermatitis (skin inflammation)

Irritation of the skin.

SECTION 12: Ecological information

Persistence and degradability:

The surfactant(s) contained in this mixture complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents.

Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

Readily biodegradable (> 98%/2d) *

> 99,9% OECD 303A, (95%/21d mod. OECD-screening-test) **

> 90%/28d OECD 301D ***

Behaviour in sewage plants:

According to the recipe, contains no AOX.

Aquatic toxicity:

n.av.

Ecological toxicity:

n.av.

Mobility:

n.av.

Accumulation:

Not to be expected

* Citric acid monohydrate

** Propan-2-ol

*** Sweet orange extract

Results of PBT assessment

n.av.

Other adverse effects:

n.av.

SECTION 13: Disposal considerations

13.1. for the material / preparation / residue

EC disposal code no.:

The waste codes are recommendations based on the scheduled use of this product.

Owing to the user's specific conditions for use and disposal, other waste codes may be allocated under certain circumstances. (2001/118/EC, 2001/119/EC, 2001/573/EC)

07 06 01 aqueous washing liquids and mother liquors

20 01 29 detergents containing dangerous substances

Recommendation:

Pay attention to local and national official regulations

E.g. dispose at suitable refuse site.

E.g. suitable incineration plant.

13.2 for contaminated packing material

See point 13.1

Pay attention to local and national official regulations

Empty container completely.

Uncontaminated packaging can be recycled.

Dispose of packaging that cannot be cleaned in the same manner as the substance.

15 01 04 metallic packaging

SECTION 14: Transport information

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II
Revision: 20.09.2014 Replaces the version of: 11.12.2013 PDF date: 21.09.2014
AUTOSOL® Leather Cleaner (paste-like)

General statements

UN-Number: n.a.

Road/Rail-transport (ADR/RID)

Class/packing group: n.a.

Classification code: n.a.

LQ: n.a.

Tunnel restriction code:

Transport by sea

IMDG-code: n.a. (class/packing group)

Marine Pollutant: n.a.

Transport by air

IATA: n.a. (class/secondary danger/packing group)

Additional information:

Non-dangerous material according to Transport Regulations.

SECTION 15: Regulatory information

Classification according to Dangerous Product Regulations incl. EC Directives (67/548/EEC and 1999/45/EC)



Symbols: Xi

Indications of danger:

Irritant

R-phrases:

36 Irritating to eyes.

S-phrases:

2 Keep out of the reach of children.

24/25 Avoid contact with skin and eyes.

35 This material and its container must be disposed of in a safe way.

46 If swallowed, seek medical advice immediately and show this container or label.

Additions: n.a.

Observe restrictions: Yes

Observe youth employment law (German regulation).

Regulation (EC) No 1907/2006, Annex XVII.

SECTION 16: Other information

These details refer to the product as it is delivered.

Revised points: 1 - 16 (REACH)

The following phrases represent the prescribed R-phrases / H-phrases (GHS/CLP) for the ingredients (designated in point 3).

11 Highly flammable.

36 Irritating to eyes.

67 Vapours may cause drowsiness and dizziness.

10 Flammable.

38 Irritating to skin.

65 Harmful: may cause lung damage if swallowed.

41 Risk of serious damage to eyes.

Legend:

n.a. = not applicable / n.v., k.D.v. = n.av. = not available / n.g. = n.c. = not checked

WEL = Workplace Exposure Limit EH40, TWA = Long-term exposure limit (8-hour TWA (= time weighted average) reference period), STEL = Short-term exposure limit (15-minute reference period) / BMGV = Biological monitoring guidance value EH40



GB

8 / 8

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision: 20.09.2014 Replaces the version of: 11.12.2013 PDF date: 21.09.2014

AUTOSOL® Leather Cleaner (paste-like)

AGW = "Arbeitsplatzgrenzwert" (workplace limit value, Germany) / BGW = "Biologischer Grenzwert" (biological limit value, Germany)

VbF = Regulations for flammable liquids (Austria)

WGK = water hazard class (Germany) - WGK 3 = very hazardous, WGK 2 = hazardous, WGK 1 = slightly hazardous to water

VOC = Volatile organic compounds / AOX = Adsorbable organic halogen compounds

VwVwS = Administrative Order relating to substances hazardous to water (Germany)

The statements made here should describe the product with regard to the necessary safety precautions - they are not meant to guarantee definite characteristics - but they are based on our present up-to-date knowledge.

No responsibility.

These statements were made by:

Chemical Check GmbH, Wöbbeler Straße 2-4, D-32839 Steinheim, Tel.: +49 5233 94 17 0, +49 1805-CHEMICAL / +49 180 52 43 642, Fax: +49 5233 94 17 90, +49 180 50 50 455

© by Chemical Check GmbH Gefahrstoffberatung. The copying or changing of this document is forbidden except with consent of the Chemical Check GmbH Gefahrstoffberatung.