

EPI CLUTCH SPRINGS**RESSORTS D'EMBRAYAGE EPI**

- Largest selection of springs to tune from.
- Designed from the highest quality material.
- All EPI springs manufactured using a 5% tolerance which is the lowest in the industry.
- ISO 9000 Certified.

PRIMARY (DRIVE) / PRIMAIRE (ENTRAÎNEMENT)

- Fine tune your engagement and top RPM as you like

Secondary (Driven)			
Colour	Part No.	3 1/2" Load	2 1/4" Load
Arctic Cat™			
Fits: 500 Auto, 500 I Auto, 500 I TRX/TBX, 700 EFI Auto			
Lime Green	CATV14	50 kg	76 kg
Yellow	CATV12	44.9 kg	66.3 kg
Colour	Part No.	2 1/2" Load	1 1/4" Load
Arctic Cat™			
FITS: 650 V2			
Red	KSS4	107.6 kg	148 kg
Blue	KSS12	105.75 kg	153 kg
Almond	KSS5	63.5 kg	113.4 kg
Black	KSS3	52.16 kg	99.79 kg
Colour	Part No.	3 1/2" Load	2 1/4" Load
Arctic Cat™			
Fits: 550 H1/H1 Prowler, 650 H1 (except 05)/650 H1 Prowler, 700 H1/H1 Prowler, 1000 Prowler/Thunder Cat/1000 Thunder Cat H2			
White	SZ14	90 kg	117 kg
Red	SZ12	81.5 kg	104.3 kg
Primary (Drive) Clutch Springs			
Colour	Part No.	2 1/4" Load	1 1/4" Load
Can-Am™			
Fits: 800 / 1000 Commander 11-20 , 1000 Maverick, 400 / 450 / 500 / 570 / 650 / 800 / 850 / 1000 Outlander, 650 Quest, 500 / 570 / 800 / 850 / 1000 Renegade (will not work on Maverick Turbo, Defender, Maverick X3 models)			
Purple	BCS20	132 lbs	182 lbs
Black	BCS29	107 lbs	155 lbs
Yellow	BCS21	105 lbs	145 lbs
Dark Blue	BCS28	100 lbs	160 lbs
White	BCS22	91 lbs	155 lbs
Orange	BCS23	87 lbs	140 lbs
Silver	BCS27	71 lbs	155 lbs
Red	BCS24	54 lbs	140 lbs
Gold	BCS25	47 lbs	135 lbs
Colour	Part No.	2 1/2" Load	1 1/4" Load
Can-Am™			
Fits: 800 HD8 Defender 16-21 , 800 Maverick Trail 18-21 , 900 HD9 Defender 22-23 , 1000 Commander 21-23 , 1000 Commander Max 21-23 , 1000 HD10 Defender 16-23 , 1000 Maverick Sport 19-22 , 1000 Maverick Trail 18-22 , Maverick X3 17-21 , Maverick X3 Max 17-21 , Maverick X3 Turbo (120hp) 22 , Maverick X3 Turbo Max (120hp) 22			
Blue	CAPS3	160 lbs	260 lbs
Purple	CAPS5	135 lbs	220 lbs
Bright Green	CAPS4	100 lbs	260 lbs
Black	CAPS2	95 lbs	225 lbs
Yellow	CAPS1	95 lbs	200 lbs
*Will not work in Pdrive clutches			
Secondary (Driven) Clutch Springs			
Colour	Part No.	2.9" Load	1.9" Load
Can-Am™			
Fits: 800, 1000 Commander, 1000 Maverick, 400, 450, 500, 570, 650, 800, 850, 1000 Outlander, 650 Quest, 500, 570, 800, 850, 1000 Renegade			
White	SRER15	175 lbs	240 lbs
Blue	SRER13*	175 lbs	240 lbs
Red	SRER12	155 lbs	215 lbs
Silver	SRER14	150 lbs	210 lbs
Orange	SRER10	75 lbs	91 lbs
* Will not fit in the 2013-18 800, 1000 Commander, 1000 Maverick, 1000 Outlander			
Colour	Part No.	2.5" Load	1.25" Load
Can-Am™			
Fits: QRS (ATV/SXS) Secondary clutches, HD8 800 Defender 16-21, HD10 1000 Defender 16-19, 800 Maverick Trail 18-21, 1000 Maverick Sport (75hp) 19-22, 1000 Maverick Trail 18-22			
Green	QRS4	165 lbs	280 lbs
Almond	QRS3	140 lbs	250 lbs
Silver	QRS2	125 lbs	230 lbs
Black	QRS1	115 lbs	220 lbs

CODE C | KEYWORD CLR

**SECONDARY (DRIVEN) / SECONDAIRE (ENTRAÎNÉ)**

- Fine tune your shift rate, side load pressure, and full shift out poundage.

Secondary (Driven) Clutch Springs			
Colour	Part No.	3 1/4" Load	1.5" Load
Can-Am™			
Fits: QRS-X Secondary clutches 900 HD9 Defender 22-23, 900 HD9 Defender Max 22-23, 1000 Commander 21-23, 1000 Commander Max 21-23, 1000 HD10 Defender 20-23, 1000 HD10 Defender Max 20-23, Maverick Sport R (100hp) 19-22, Maverick X3 2017-23, Maverick X3 Max 2017-23			
Dark Blue	QRSX2	170 lbs	370 lbs
Gold	QRSX1	160 lbs	355 lbs
Primary (Drive) Clutch Springs			
Colour	Part No.	2 1/2" Load	2 1/4" Load 1 1/4" Load
Kawasaki™			
Fits: 300, 400, 360, 650, 700 Prairie, KFX 700, 650, 750 Brute Force, 750 Teryx			
Almond	DRS23	8.6 kg	21.3 kg 72.6 kg
Maroon	DRS22	0.5 kg	15.9 kg 77.2 kg
Secondary (Driven)			
Colour	Part No.	2 1/2" Load	1 1/4" Load
Kawasaki™			
Fits: 750 Teryx			
Blue	KSS12	105.75 kg	153 kg
Almond	KSS5	63.5 kg	113.4 kg
Black	KSS3	52.16 kg	99.79 kg
Kawasaki™			
Fits: 360, 650, 700 Prairie, KFX 700, 650, 750 Brute Force			
Red	KSS4	107.6 kg	148 kg
Blue	KSS12	105.75 kg	153 kg
Almond	KSS5	63.5 kg	113.4 kg
Black	KSS3	52.16 kg	99.79 kg
Yellow	KSS6	123 kg	173 kg
Lime Green	KSS8	90 kg	146.25 kg
Maroon	KSS7	40.82 kg	74.84 kg
Primary (Drive) Clutch Springs			
Colour	Part No.	2" Load	1.05" Load
Polaris™			
Fits: 1000 RZR RS1 18-22 , RZR XP Turbo 16-20 , RZR XP Turbo S 18-20 , Tan PATV20 100 lbs 155 lbs			
Primary (Drive) Clutch Springs			
Colour	Part No.	2 1/2" Load	2 1/4" Load 1 1/4" Load
Polaris™			
P90X Primary Springs			
Fits: 1000 Ranger (61hp) 20-24 , 1000 Ranger Crew (61hp) 20-24 , 1000 Ranger XP 18-24 , 1000 Ranger XP Crew 19-24			
Red/Silver	PATV24	138 lbs	159 lbs 245 lbs
Red/Black	PATV23	118 lbs	139 lbs 225 lbs
Blue	PATV19	120 lbs	139 lbs 215 lbs
Brown	PATV16	100 lbs	112 lbs 200 lbs
Black/Gold	PATV18	80 lbs	104 lbs 200 lbs
Black/Silver	PATV17	60 lbs	88 lbs 200 lbs
Primary (Drive) Clutch Springs			
Colour	Part No.	2" Load	1.05" Load
Polaris™			
Fits: 1000 RZR RS1 18-22 , RZR XP Turbo 16-20 , RZR XP Turbo S 18-20 , Tan PATV20 100 lbs 155 lbs			
Colour	Part No.	2 1/2" Load	1 1/4" Load
Polaris™			
Fits: All Polaris Models			
Will not fit:			
1000 Ranger (61hp) 20-24 , 1000 Ranger Crew (61hp) 20-24 , 1000 Ranger XP 18-24 , 1000 Ranger XP Crew 19-24 , 1000 RZR RS1 18-21 , 1000 RZR XP / XP 4 (all versions) 24 , 1000 Xpedition ADV / ADV 5 24 , 1000 Xpedition / Xpedition 5 (all versions) 24 , RZR Turbo R / R 4 22-24 , RZR XP 4 Turbo 16-21 , RZR XP Turbo S 19-21 , RZR XP Turbo 16-21, RZR XP Turbo S 18-21			
White/Red	PATV27	100 lbs	280 lbs
White/Blue	PATV28	100 lbs	300 lbs



TERMS & INDEX

NEW

HELMETS & GOGGLES

APPAREL

ACCESSORIES

WINCHES & PLOWS

ENGINE & EXHAUST

DRIVE

ELECTRICAL

SPARK PLUGS

BATTERIES & CHARGERS

STEERING & SUSPENSION

CABLES

BRAKES

TRACKS, TIRES & WHEELS

OFF-SHORE BRANDS

OIL FILTERS & CHEMICALS

TRAILER

TOOLS

WATERCRAFT

EPI CLUTCH SPRINGS**CODE C | KEYWORD CLR****RESSORTS D'EMBRAYAGE EPI**

- Largest selection of springs to tune from.
- Designed from the highest quality material.
- All EPI springs manufactured using a 5% tolerance which is the lowest in the industry.
- ISO 9000 Certified.

PRIMARY (DRIVE) / PRIMAIRE (ENTRAÎNEMENT)

- Fine tune your engagement and top RPM as you like

SECONDARY (DRIVEN) / SECONDAIRE (ENTRAÎNÉ)

- Fine tune your shift rate, side load pressure, and full shift out poundage.



Primary (Drive) Clutch Springs				
Colour	Part No.	2 1/2" Load	2 1/4" Load	1 1/4" Load
Polaris™				
Fits: All Polaris Models				
Will not fit:				
1000 Ranger (61hp) 20-24 , 1000 Ranger Crew (61hp) 20-24 , 1000 Ranger XP 18-24 , 1000 Ranger XP Crew 19-24 , 1000 RZR RS1 18-21 , 1000 RZR XP / XP 4 (all versions) 2024 , 1000 Xpedition / Xpedition 5 (all versions) 2024 , RZRTurbo R / R 4 22-24 , RZR XP 4 Pro 20-24 , RZR XP 4 Turbo 16-21 , RZR XP 4 Turbo S 19-21 , RZR XP Pro 20-24 , RZR XP Turbo 16-21 , RZR XP Turbo S 18-21				
Red/Silver	PATV24	138 lbs	159 lbs	245 lbs
Blue	PATV19	120 lbs	139 lbs	215 lbs
Purple	PATV4	120 lbs	132 lbs	182 lbs
Red	PATV1	35 lbs	54 lbs	140 lbs
Red/Black	PATV23	118 lbs	139 lbs	225 lbs
Black	PATV15	100 lbs	107 lbs	155 lbs
Brown	PATV16	100 lbs	112 lbs	200 lbs
Black/Gold	PATV18	80 lbs	104 lbs	200 lbs
Dark Blue	PATV14	80 lbs	100 lbs	160 lbs
White	PATV6	75 lbs	91 lbs	155 lbs
Orange	PATV-6	75 lbs	91 lbs	155 lbs
White/Green	PATV25	65 lbs	105 lbs	280 lbs
White/Purple	PATV26	65 lbs	105 lbs	300 lbs
Black/Silver	PATV17	60 lbs	88 lbs	200 lbs
Dark Green	PATV11	55 lbs	72 lbs	145 lbs
Teal	PATV21	40 lbs	-	200 lbs
Red	PATV1	35 lbs	54 lbs	140 lbs
Bright Yellow	PATV22	29 lbs	75 lbs	260 lbs
Almond	PATV12	19 lbs	47 lbs	160 lbs
Pink	PATV8	0 lbs	24 lbs	160 lbs
Yellow	PATV3	95 lbs	105 lbs	145 lbs
	PATV-3	95 lbs	105 lbs	145 lbs

Secondary (Driven) Clutch Springs			
Colour	Part No.	2.25" Load	1.5" Load
Polaris™			
Fits: 325 Sportsman ACE Non-EBS 14-15 , 500 ACE Non-EBS 18-19 , 500 Ranger Non-EBS 18-22 , 570 Ranger Mid-Size Non-EBS 14-21 , 570 Ranger Crew Mid-Size Non-EBS 14-21 , 570 Ranger Full-Size Non-EBS 15-23 , 570 Ranger Crew Full-Size Non-EBS 15-23 , 570 RZR Non-EBS 14-22 , 570 Sportsman ACE Non-EBS 15-19 , 900 Ranger Non-EBS 14-19 , 900 Ranger Crew Non-EBS 14-19 , 900 RZR Non-EBS 15 , 900 RZR S Non-EBS 15			
Black/Yellow	PEBS24	172	235
Black/Orange	PEBS23	172	221
Black/White	PEBS25	160	205
Colour	Part No.	2 1/2" Load	1 1/4" Load
Polaris™			
Fits: All other EBS clutches (Engine Braking System)			
Yellow	PEBS6	271 lbs	382 lbs
Red	PEBS7	237 lbs	339 lbs
Blue	PEBS10	235 lbs	340 lbs
Lime Green	PEBS9	200 lbs	325 lbs
Green	PEBS8	165 lbs	280 lbs
Almond	PEBS5	140 lbs	250 lbs
Black HD	PEBS3	115 lbs	220 lbs
Maroon	PEBS4	90 lbs	165 lbs
Blue	PEBS2	73 lbs	135 lbs
Black	PEBS1	73 lbs	120 lbs

Secondary (Driven) Clutch Springs			
Colour	Part No.	2 1/2" Load	1 1/4" Load
Polaris™			
Fits: All other EBS clutches (Engine Braking System)			
Purple	250-1106	50 lbs	75 lbs
Orange	250-1107	49 lbs	83 lbs

Secondary (Driven) Clutch Springs			
Colour	Part No.	2 1/2" Load	1 1/4" Load
Polaris™			
Fits: 500 Sportsman EFI 08-09 , 500 Sportsman EFI X2 08 , 500 Sportsman EFI Touring 08 , 550 Sportsman (All) 10 , 550 Sportsman XP 09-10 , 570 RZR w/EBS 14-15 , 570 Sportsman EBS 14-15/18-20 , 570 Sportsman Touring EPS (EBS) 18-23 , 570 Sportsman Touring Premium EPS (EBS) 18-23 , 700 Sportsman EFI 07 , 700 Sportsman EFI X2 08 , 700 Ranger XP 05-09 , 700 Ranger EFI 6x6 06-09 , 700 Ranger Crew 08-09 , 700 Ranger HD 09 , 800 Ranger's 4x4/6x6 10-14 , 800 Sportsman EFI 09-14 , 800 Sportsman EFI HO 08 , 800 Sportsman EFI Std 07 , 800 Sportsman EFI Touring 08 , 800 RZR 08-14 , 800 RZR S 09-14 , 800 RZR 4 10-14 , 850 Sportsman (All) 10 , 850 Sportsman XP 09-10 , 900 Ranger w/EBS 14-15 , 900 Ranger XP 13 , 900 RZR w/EBS 15 , 900 RZR XP 11-14 , 900 RZR 4 XP 12-14 , 1000 RZR 14-15 , 1000 RZR 4 14-15			
Purple	PEBS14	150 lbs	260 lbs
Silver	PEBS20	125 lbs	230 lbs
Brite Green	PEBS12	120 lbs	225 lbs
Black/Blue	PEBS28	115 lbs	230 lbs
Pink	PEBS11	94 lbs	169 lbs
White	PEBS18	270 lbs	405 lbs
Blue	PEBS15	208 lbs	328 lbs

Polaris™			
Fits: RZR XP Turbo 16-20 , RZR XP 4 Turbo 16-20 , RZR XP Turbo S 18-20 , RZR XP 4 Turbo S 19-20 , 1000 RZR RS1 18-22			
Colour	Part No.	2 1/6" Load	1 1/4" Load
Teal	PEBS30	182 lbs	260 lbs
Gray	PEBS29	168 lbs	240 lbs

Polaris™			
P90X Primary Springs			
Fits: 570 Sportsman (EBS) 21-23 , 570 Sportsman EPS (EBS) 21-23 , 570 Sportsman Hunter Edition (EBS) 21-22 , 570 Sportsman Premium (EBS) 21-23 , 570 Sportsman Ride Command 22 , 570 Sportsman Trail (EBS) 21-23 , 570 Sportsman Ultimate Trail LE (EBS) 21 , 570 Sportsman Utility HD LE (EBS) 21-22 , 1000 Ranger (61hp) 20-24 , 1000 Ranger Crew (61hp) 20-24 , 1000 Ranger XP 18-24 , 1000 Ranger XP Crew 19-24			
Colour	Part No.	2.65" Load	1 1/4" Load
Red	PEBS32	182 lbs	299 lbs
Dark Blue	PEBS31	168 lbs	276 lbs

Polaris™			
Colour	Part No.	2 1/2" Load	1 1/4" Load
Polaris™			
Fits: 550 Sportsman (All) 11-15 , 570 Sportsman EBS 16-17 , 850 Scrambler 13-24 , 850 Sportsman (All) 11-24 , 900 RZR 4 16-20 , 900 RZR 50" 16-22 , 900 RZR S 60" 16-22 , 900 RZR Trail 50" (all models) 21-23 , 900 RZR Trail S 60" 21-23 , 900 RZR XC 55" 16-18 , 1000 Ranger XP Crew 17-18 , 1000 General 16-24 , 1000 General 4 17-24 , 1000 General XP / XP 4 21-24 , 1000 Ranger XP 17 , 1000 RZR S 60" 16-20 , 1000 RZR Trail S (all models) 21-23 , 1000 RZR XP/XP 4 16-23 , 1000 Scrambler 15-24, 1000 Sportsman 15-24			
Pink	PEBS27	130 lbs	257 lbs
Orange	PEBS26	125 lbs	230 lbs
Purple	PEBS21	120 lbs	182 lbs
White	PEBS22	95 lbs	145 lbs

EPI CLUTCH SPRINGS

CODE D | KEYWORD 4

RESSORTS D'EMBRAYAGE EPI

- Largest selection of springs to tune from.
- Designed from the highest quality material.
- All EPI springs manufactured using a 5% tolerance which is the lowest in the industry.
- ISO 9000 Certified.

**PRIMARY (DRIVE) / PRIMAIRE (ENTRAÎNEMENT)**

- Fine tune your engagement and top RPM as you like

Primary (Drive)				
Colour	Part No.	2 1/2" Load	2 1/4" Load	1 1/4" Load
Suzuki™				
Fits: 700 Twin Peaks				
Maroon	DRS22	0.5 kg	15.9 kg	77.2 kg
Secondary (Driven)				
Colour	Part No.	3 1/2" Load	2 1/4" Load	
Suzuki™				
Fits: 500 Vinson, 700 King Quad, 750 King Quad				
Lime Green	CATV14	50 kg	76 kg	
Yellow	CATV12	44.9 kg	66.3 kg	
Colour	Part No.	2 1/2" Load	1 1/4" Load	
Suzuki™				
Fits: 700 Twin Peaks				
Red	KSS4	107.6 kg	148 kg	
Blue	KSS12	105.75 kg	153 kg	
Almond	KSS5	63.5 kg	113.4 kg	
Black	KSS3	52.16 kg	99.79 kg	

SECONDARY (DRIVEN) / SECONDAIRE (ENTRAÎNÉ)

- Fine tune your shift rate, side load pressure, and full shift out poundage.

Secondary (Driven)			
Colour	Part No.	3" Load	1.75" Load
Yamaha™			
Fits: 350 Bruin, 350 Grizzly			
Green	YDS4	135 lbs	235 lbs
Yamaha™			
Fits: Rhino (All), 700 Kodiak, 700 Viking, 700 Viking IV, 700 Wolverine, 400 Kodiak, 450 Kodiak, 450 Wolverine, Grizzly (All except 350)			
White	YDS5	215 lbs	350 lbs
Gold	YDS7	200 lbs	330 lbs
Purple	YDS6	195 lbs	315 lbs
Orange	YDS3	190 lbs	310 lbs
Blue	YDS1	160 lbs	280 lbs

EPI CLUTCH WEIGHTS**POIDS D'EMBRAYAGE EPI**

ATV "Belly Buster" Weights for Kawasaki 650/700, Prairie/650 Brute Force 05-11, 750 Brute Force 05-07/700 KFX Arctic Cat 650 V2 04-06 and Suzuki Twin Peaks

- Aggressive style produces stronger low and mid-range pull
- Made from billet tool steel and then heat treated and plated for extended life use and durability
- Weight is proportioned to provide more aggressive upshift
- Sold in sets of 4
- Fits all 650 & 700 Prairie, 650 Brute Force 05-11, 750 Brute Force 05-07, 700 KFX, 650V2 04-06 Arctic Cat & Suzuki Twin Peaks

Weight	Style	Part No.	Code	Keyword
54	Non-Bushed	25-81154	C	4

