

Health & Safety Information

#### **Torco MGO Motorcycle Gear Oil 80W90**

**Product Part Number: T748090** 

MSDS Date: 05/10/2013

# Section 1: Identification of the preparation and company

Preparation/Product Name Torco MGO Motorcycle Gear Oil 80W90

Product Code T748090

Company Name TORCO INTERNATIONAL CORP.

9145 MILLIKEN AVENUE

RANCHO CUCAMONGA, CA 91730

 Telephone No.
 (909) 980-1495

 24 hour Emergency Telephone No.
 (800) 424-9300

 General MSDS
 (909) 980-1495

#### **Section 2: Hazards Identification of the product**

## **Warning**

# GHS Classification

Item	Category	Hazard
Flammability	Not classified	Not applicable
Acute Toxicity (mouth)	5	May be harmful if swallowed
Acute Toxicity (skin)	5	May be harmful in contact with skin
Acute Toxicity (inhalation)	Not classified	Not applicable
Acute Toxicity (ingestion)	Not classified	Not applicable
Skin corrosion/irritation	Not classified	Not applicable
Eye damage/irritation	Not classified	Not applicable
Sensitization (respiratory)	Not classified	Not applicable
Sensitization (skin)	Not classified	Not applicable
Germ toxicity	Not classified	Not applicable
Specific target organ systemic toxicity (single exposure)	1	No target organs for this category.
	2	No target organs for this category.
	3	No target organs for this category.
Specific target organ systemic toxicity (repeated exposure)	1	No target organs for this category.
	2	No target organs for this category.
Aspiration hazard	Not classified	Not applicable
Harmfulness to aquatic environment (acute)	Not classified	Not applicable
Harmfulness to aquatic environment (long term effect)	Not classified	Not applicable
Carcinogenicity	Not classified	Not applicable
Reproductive toxicity	Not classified	Not applicable
Organic peroxide	Not classified	Not applicable

Safety Phrases: Not applicable

#### **Section 3: Composition / Information Identity of Ingredients**

Mixture: Yes

Ingredient CAS Number Concentration

Olefin Sulfide Proprietary or N/A <5
Petroleum distillates, hydrotreated heavy paraffinic 064742-54-7 <70
Petroleum distillates, solvent dewaxed heavy paraffinic 064742-65-0 <20
Polybutene 009003-29-6 <10

Contains no other ingredients now known to be hazardous as defined by OSHA 29 CFR 1910.1000(z)

#### **Section 4: First Aid Measures**

**Inhalation** Remove exposed person to fresh air. If breathing is labored, administer oxygen and

obtain immediate medical attention. If irritation persists or if toxic symptoms are

observed, get medical attention.

**Eye Contact** Flush with water at least 15 minutes. Get medical attention if eye irritation develops

or persists.

**Skin Contact** Wash immediately with soap and water. Remove soiled clothing. Get medical

attention if irritation develops. Launder contaminated clothing.

Ingestion DO NOT INDUCE VOMITING. If conscious, give 2 glasses of water. Get immediate

medical attention.

#### **Section 5: Fire Fighting Measures**

Flash Point °C 215

Slightly Combustible. May release flammable vapors when heated above flash point.

**Extinguishing** 

Media

Carbon Dioxide, dry chemical, or foam. Avoid using water.

Combustion

Products

Carbon monoxide and asphyxiants.

Special Fire Procedures

Recommend SCBA. Use water only for cooling container. Water may cause

splattering, or transport the flame.

#### **Section 6: Accidental Release Measures**

Evacuate all non-essential personnel. Personal Protective Equipment must be worn, see PPE section 8 & 16. Remove sources of ignition. Prevent entry into sewers and waterways. Contain release, pick up free liquid for recycling or disposal. Residual liquid can be absorbed with inert material. Check DOT/CERCLA and other agencies for reporting requirements.

Prevent contamination to soil, waterway and sewer systems.

## Section 7: Handling & Storage

**Handling** Avoid prolonged skin contact, breathing vapors, and contaminated clothing. Use with

adequate ventilation. Wear recommended protective equipment. Practice good personal hygiene after handling. Empty containers retain material residue. Do not

cut, weld, braze, solder or expose containers to other ignition sources.

**Storage** Store in closed containers of proper construction. Store away from ignition sources

and in areas of good ventilation.

## **Section 8: Exposure Controls & Personal Protection**

**Exposure Limits** The PEL (OSHA) and the TLV (ACGIH) is 5 mg/m3 for oil mists.

**Ventilation** Use in areas of adequate ventilation. Use mechanical exhaust to control vapors or

mists.

**Gloves** Nitrile or neoprene gloves are recommended.

**Eye Protection** Safety glasses, goggles, or face shield are recommended.

**Respiratory**Use NIOSH/MSHA approved respirator with organic vapor cartridge and dust/mist cartridge is recommended exposure limit is exceeded. Self-contained breathing

apparatus is recommended for confined space entry.

Clothing Long sleeve shirt and apron when potential for skin contact. Wear neoprene or nitrile

rubber boots when necessary to avoid contaminating shoes.

## **Section 9: Physical & Chemical Properties**

Appearance AMBER OILY LIQUID Odor Petroleum Odor

Flash Point °C >215 **Boiling Point °C** >325 VOC % NIL pН n/d **Specific Gravity** 0.887 Solubility in Water negligible **Vapor Pressure** <0.01 mmHg@20 °C Vapor Density Heavier than air

**Evaporation Point** less than ether **Flammability** Not applicable

Data supplied is for use only in connection with occupational safety and health. Specifications subject to change without notice.

### Section 10: Stability & Reactivity

**Stability** Material is normally stable at ambient temperature and pressure.

**Conditions to** 

Oxidizing agents. Do not heat above the flash point.

Avoid

**Polymerization** Will not occur.

**Decomposition** Carbon dioxide, carbon monoxide.

# **Section 11: Toxicological Information**

Ingredient	Oral LD50, mg/kg	Skin LD50, mg/kg	Inhalation Vapor LD50, mg/L/4hr
Olefin Sulfide	2,000.00, rat - Category: 4	> 2,000, rabbit - Category: 5	
Petroleum distillates, hydrotreated heavy paraffinic	> 5,000, rat - Category: NA	> 5,000, rabbit - Category: NA	
Petroleum distillates, solvent dewaxed heavy paraffinic	> 2,000, rat - Category: 5	> 2,000, rabbit - Category: 5	
Polybutene	34,600, rat - Category: NA	10,250, rabbit - Category: NA	

**Oral Toxicity** Swallowing material may cause irritation of the gastrointestinal lining, nausea,

vomiting, diarrhea, and abdominal pain.

**Eye Irritation** Not expected to cause eye irritation.

**Skin Irritation** Not expected to be a primary skin irritant. Prolonged or repetitive contact may cause

irritation.

**Carcinogenicity** This material has not been identified as a carcinogen by NTP, IARC, or OSHA.

#### **Section 12: Ecological Information**

This material is expected to have adverse affects on marine and plant life. Spills may contaminate drinking water.

#### **Section 13: Disposal Consideration**

Consult federal, state, and local regulations regarding disposal methods, Recycle used oil. Do not contaminate used oil with solvents or other chemicals.

#### **Section 14: Transportation Information**

See 49 CFR part 171.8 through 178.510

**Proper Shipping** 

Oil, n.o.s

Name

**DOT Hazard Class** Not regulated **UN No** Not applicable

Guide Number 128

**IMDG** This product is not regulated by the International Maritime Organization (IMO) or the

International Maritime Dangerous Goods Code (IMDG).

### **Section 15: Regulatory Information**

TSCA: All components of this product are listed on the United States TSCA

(Toxic Control Substance Act) Inventory.

RCRA: Not regulated SARA 311/312 (>0.1%): Not applicable SARA 313 (>0.1%): Not applicable CERCLA (>0.1%): Not applicable Inventory - Canada - Non-

**Domestic Substances List** 

(NDSL):

California Proposition 65 Cancer

(>0.00%):

Cadmium (<0.01 %) Ethyl acrylate (<0.01 %)

Lead (<0.01 %)

California Proposition 65 Developmental (>0.00%):

Cadmium (<0.01 %) Lead (<0.01 %)

California Proposition 65 Female Reproductive (>0.00%):

Lead (<0.01 %)

# California Proposition 65 Male Reproductive (>0.00%):

Cadmium (<0.01 %)

Lead (<0.01 %)

# Inventory - Australia - Inventory of Chemical Substances (AICS):

Olefin Sulfide

Petroleum distillates, hydrotreated heavy paraffinic

Petroleum distillates, solvent dewaxed heavy paraffinic

Polybutene

# Inventory - Japan Existing and New Chemical Substances (ENCS):

Petroleum distillates, hydrotreated heavy paraffinic ()

Petroleum distillates, solvent dewaxed heavy paraffinic (9-1702)

Polybutene (6-774)

# Korean Existing Chemicals

Inventory:

Petroleum distillates, hydrotreated heavy paraffinic

Petroleum distillates, solvent dewaxed heavy paraffinic

Polybutene

# Inventory of Existing Chemical Substances in China:

Olefin Sulfide

Petroleum distillates, hydrotreated heavy paraffinic

Polybutene

# Philippines Inventory of Chemicals and Chemical Substances (PICCS):

Olefin Sulfide

Petroleum distillates, hydrotreated heavy paraffinic

Petroleum distillates, solvent dewaxed heavy paraffinic

Polybutene

Taiwan List of Toxic Chemical Not applicable

Substances regulated under

**Toxic Chemical Substances** 

**Control Act:** 

EU REACH: Annex XVII, Dangerous Substances and

**Preparations:** 

Petroleum distillates, hydrotreated heavy paraffinic

Petroleum distillates, solvent dewaxed heavy paraffinic

Inventory - European Union -European Inventory of Existing Commercial Chemical Substances (EINECS): Copolymer ester (Multipurpose) ()

Olefin Sulfide ()

Petroleum distillates, hydrotreated heavy paraffinic (265-157-1)

Petroleum distillates, solvent dewaxed heavy paraffinic (265-169-7)

Petroleum product additive ()

Polybutene ()

**EU List of Notified Chemical** 

Not applicable

**Substances (ELINCS):** 

Risk Phrases: Not applicable

#### **Section 16: Other Information**

HMIS	Health:	1	NFPA	Health:	1
	Fire:	1		Fire:	1
	Physical Hazards:	0		Reactivity:	0
	PPE:	С		Special Hazards:	

This information was derived from current data and the works and opinions of persons believed to be qualified experts. To the best of our knowledge, it is believed to be accurate to the best of Torco International Corporation knowledge and reliable as of the date compiled. However, no guarantee is made as to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability and completeness of such information for his own particular use. We expressly disclaim all warranties of every kind and nature, including warranties of MERCHANTABILITY OR FITNESS FOR THE PARTICULAR PURPOSE, regarding the accuracy of such data or the results to be obtained from the use thereof.

Data supplied is for use only in connection with occupational safety and health.

**End of Material Safety Data Sheet**