



# MATERIAL SAFETY DATA SHEET

Health & Safety Information

## Torco RFF Racing Fork Fluid 5

Product Part Number: T830005

MSDS Date: 05/10/2013

### Section 1: Identification of the preparation and company

Preparation/Product Name

Torco RFF Racing Fork Fluid 5

Product Code

T830005

Company Name

TORCO INTERNATIONAL CORP.

9145 MILLIKEN AVENUE

RANCHO CUCAMONGA, CA 91730

Telephone No.

(909) 980-1495

24 hour Emergency Telephone No.

(800) 424-9300

General MSDS

(909) 980-1495

### Section 2: Hazards Identification of the product

## Warning

#### GHS Classification

Item	Category	Hazard
Flammability	Not classified	Not applicable
Acute Toxicity (mouth)	5	May be harmful if swallowed
Acute Toxicity (skin)	5	May be harmful in contact with skin
Acute Toxicity (inhalation)	Not classified	Not applicable
Acute Toxicity (ingestion)	Not classified	Not applicable
Skin corrosion/irritation	Not classified	Not applicable
Eye damage/irritation	Not classified	Not applicable
Sensitization (respiratory)	Not classified	Not applicable
Sensitization (skin)	Not classified	Not applicable
Germ toxicity	Not classified	Not applicable
Specific target organ systemic toxicity (single exposure)	1	No target organs for this category.
	2	No target organs for this category.
	3	No target organs for this category.
Specific target organ systemic toxicity (repeated exposure)	1	No target organs for this category.
	2	No target organs for this category.
Aspiration hazard	Not classified	Not applicable
Harmfulness to aquatic environment (acute)	Not classified	Not applicable
Harmfulness to aquatic environment (long term effect)	Not classified	Not applicable
Carcinogenicity	Not classified	Not applicable
Reproductive toxicity	Not classified	Not applicable
Organic peroxide	Not classified	Not applicable

**Safety Phrases:** Not Applicable

### Section 3: Composition / Information Identity of Ingredients

Mixture: Yes

Ingredient	CAS Number	Concentration
Lubricating oils, petroleum, C15-30, hydrotreated neutral oil-based	072623-86-0	<5
Petroleum distillates, hydrotreated light naphthenic	064742-53-6	<20
Petroleum distillates, hydrotreated middle	064742-46-7	<70
Zinc Alkyldithiophosphate	Proprietary or N/A	<1

Contains no other ingredients now known to be hazardous as defined by OSHA 29 CFR 1910.1000(z)

### Section 4: First Aid Measures

<b>Inhalation</b>	Remove exposed person to fresh air. If breathing is labored, administer oxygen and obtain immediate medical attention. If irritation persists or if toxic symptoms are observed, get medical attention.
<b>Eye Contact</b>	Flush with water at least 15 minutes. Get medical attention if eye irritation develops or persists.
<b>Skin Contact</b>	Wash immediately with soap and water. Remove soiled clothing. Get medical attention if irritation develops. Launder contaminated clothing.
<b>Ingestion</b>	DO NOT INDUCE VOMITING. If conscious, give 2 glasses of water. Get immediate medical attention.

### Section 5: Fire Fighting Measures

**Flash Point °C** >104

Slightly Combustible. May release flammable vapors when heated above flash point.

<b>Extinguishing Media</b>	Carbon Dioxide, dry chemical, or foam. Avoid using water.
<b>Combustion Products</b>	Carbon monoxide and asphyxiants.
<b>Special Fire Procedures</b>	Recommend SCBA. Use water only for cooling container. Water may cause splattering, or transport the flame.

### Section 6: Accidental Release Measures

Evacuate all non-essential personnel. Personal Protective Equipment must be worn, see PPE section 8 & 16. Remove sources of ignition. Prevent entry into sewers and waterways. Contain release, pick up free liquid for recycling or disposal. Residual liquid can be absorbed with inert material. Check DOT/CERCLA and other agencies for reporting requirements.

Prevent contamination to soil, waterway and sewer systems.

### Section 7: Handling & Storage

<b>Handling</b>	Avoid prolonged skin contact, breathing vapors, and contaminated clothing. Use with adequate ventilation. Wear recommended protective equipment. Practice good personal hygiene after handling. Empty containers retain material residue. Do not cut, weld, braze, solder or expose containers to other ignition sources.
-----------------	---

**Storage** Store in closed containers of proper construction. Store away from ignition sources and in areas of good ventilation.

## Section 8: Exposure Controls & Personal Protection

**Exposure Limits** The PEL (OSHA) and the TLV (ACGIH) is 5 mg/m<sup>3</sup> for oil mists.

**Ventilation** Use in areas of adequate ventilation. Use mechanical exhaust to control vapors or mists.

**Gloves** Nitrile or neoprene gloves are recommended.

**Eye Protection** Safety glasses, goggles, or face shield are recommended.

**Respiratory Protection** Use NIOSH/MSHA approved respirator with organic vapor cartridge and dust/mist cartridge is recommended exposure limit is exceeded. Self-contained breathing apparatus is recommended for confined space entry.

**Clothing** Long sleeve shirt and apron when potential for skin contact. Wear neoprene or nitrile rubber boots when necessary to avoid contaminating shoes.

## Section 9: Physical & Chemical Properties

<b>Appearance</b>	RED OILY LIQUID	<b>Odor</b>	Petroleum Odor
<b>Flash Point °C</b>	>104	<b>Boiling Point °C</b>	>182
<b>VOC %</b>	NIL	<b>pH</b>	n/d
<b>Specific Gravity</b>	0.885	<b>Solubility in Water</b>	negligible
<b>Vapor Pressure</b>	<0.01 mmHg@20 °C	<b>Vapor Density</b>	Heavier than air
<b>Evaporation Point</b>	less than ether		
<b>Flammability</b>	Not applicable		

*Data supplied is for use only in connection with occupational safety and health. Specifications subject to change without notice.*

## Section 10: Stability & Reactivity

**Stability** Material is normally stable at ambient temperature and pressure.

**Conditions to Avoid** Oxidizing agents. Do not heat above the flash point.

**Polymerization** Will not occur.

**Decomposition** Carbon dioxide, carbon monoxide.

## Section 11: Toxicological Information

Ingredient	Oral LD50, mg/kg	Skin LD50, mg/kg	Inhalation Vapor LD50, mg/L/4hr
Lubricating oils, petroleum, C15-30, hydrotreated neutral oil-based	-----	-----	-----
Petroleum distillates, hydrotreated light naphthenic	5,000, rat - Category: 5	-----	-----
Petroleum distillates, hydrotreated middle	>5,000, rat - Category: NA	3,000, rabbit - Category: 5	-----
Zinc Alkyldithiophosphate	2,000, rat - Category: 4	> 2,000, rabbit - Category: 5	> 5, rat -Category: 3

**Oral Toxicity** Swallowing material may cause irritation of the gastrointestinal lining, nausea,

	vomiting, diarrhea, and abdominal pain.
<b>Eye Irritation</b>	Not expected to cause eye irritation.
<b>Skin Irritation</b>	Not expected to be a primary skin irritant. Prolonged or repetitive contact may cause irritation.
<b>Carcinogenicity</b>	This material has not been identified as a carcinogen by NTP, IARC, or OSHA.

## Section 12: Ecological Information

This material is expected to have adverse affects on marine and plant life. Spills may contaminate drinking water.

## Section 13: Disposal Consideration

Consult federal, state, and local regulations regarding disposal methods, Recycle used oil. Do not contaminate used oil with solvents or other chemicals.

## Section 14: Transportation Information

See 49 CFR part 171.8 through 178.510

<b>Proper Shipping Name</b>	Oil, n.o.s
<b>DOT Hazard Class</b>	Not regulated
<b>UN No</b>	Not applicable
<b>Guide Number</b>	128
<b>IMDG</b>	This product is not regulated by the International Maritime Organization (IMO) or the International Maritime Dangerous Goods Code (IMDG).

## Section 15: Regulatory Information

<b>TSCA:</b>	All components of this product are listed on the United States TSCA (Toxic Control Substance Act) Inventory.
<b>RCRA:</b>	Not regulated
<b>SARA 311/312 (&gt;0.1%):</b>	Not applicable
<b>SARA 313 (&gt;0.1%):</b>	
	Zinc Alkyldithiophosphate
	Zinc Compounds
<b>CERCLA (&gt;0.1%):</b>	
<b>Inventory - Canada - Non-Domestic Substances List (NDSL):</b>	
	Phenol, (tetrapropenyl) derivitives
<b>California Proposition 65 Cancer (&gt;0.00%):</b>	
	Cadmium (<0.01 %)
	Ethyl benzene (<0.01 %)
	Lead (<0.01 %)
<b>California Proposition 65 Developmental (&gt;0.00%):</b>	
	Cadmium (<0.01 %)

Lead (<0.01 %)

**California Proposition 65 Female  
Reproductive (>0.00%):**

Lead (<0.01 %)

**California Proposition 65 Male  
Reproductive (>0.00%):**

Cadmium (<0.01 %)

Lead (<0.01 %)

**Inventory - Australia - Inventory  
of Chemical Substances (AICS):**

Acrylic Copolymer

Amines, N-tallow alkyltrimethylenedi-

Butylated Phenol

Di(2-ethylhexyl)phosphoric acid

Lubricating oils, petroleum, C15-30, hydrotreated neutral oil-based

Petroleum distillates, hydrotreated heavy naphthenic

Petroleum distillates, hydrotreated light

Petroleum distillates, hydrotreated light naphthenic

Petroleum distillates, hydrotreated middle

Zinc Alkyldithiophosphate

Zinc Compounds

**Inventory - Japan Existing and  
New Chemical Substances  
(ENCS):**

Acrylic Copolymer ()

Di(2-ethylhexyl)phosphoric acid (2-1986)

Petroleum distillates, hydrotreated heavy naphthenic ()

Petroleum distillates, hydrotreated light ()

Petroleum distillates, hydrotreated light naphthenic ()

Petroleum distillates, hydrotreated middle ()

**Korean Existing Chemicals  
Inventory:**

Acrylic Copolymer

Di(2-ethylhexyl)phosphoric acid

Petroleum distillates, hydrotreated heavy naphthenic

Petroleum distillates, hydrotreated light

Petroleum distillates, hydrotreated light naphthenic

Petroleum distillates, hydrotreated middle

**Inventory of Existing Chemical  
Substances in China:**

Acrylic Copolymer

Butylated Phenol

Petroleum distillates, hydrotreated light

Petroleum distillates, hydrotreated light naphthenic

Petroleum distillates, hydrotreated middle

Zinc Alkyldithiophosphate

Zinc Compounds

**Philippines Inventory of  
Chemicals and Chemical  
Substances (PICCS):**

Acrylic Copolymer  
Amines, N-tallow alkyltrimethylenedi-  
Butylated Phenol  
Di(2-ethylhexyl)phosphoric acid  
Lubricating oils, petroleum, C15-30, hydrotreated neutral oil-based  
Petroleum distillates, hydrotreated heavy naphthenic  
Petroleum distillates, hydrotreated light  
Petroleum distillates, hydrotreated light naphthenic  
Petroleum distillates, hydrotreated middle  
Zinc Alkyldithiophosphate  
Zinc Compounds

**Taiwan List of Toxic Chemical  
Substances regulated under  
Toxic Chemical Substances  
Control Act :** Not applicable

**EU REACH: Annex XVII,  
Dangerous Substances and  
Preparations:**

Lubricating oils, petroleum, C15-30, hydrotreated neutral oil-based  
Petroleum distillates, hydrotreated heavy naphthenic  
Petroleum distillates, hydrotreated light naphthenic  
Petroleum distillates, hydrotreated middle

**Inventory - European Union -  
European Inventory of Existing  
Commercial Chemical  
Substances (EINECS):**

Acrylic Copolymer ()  
Amines, N-tallow alkyltrimethylenedi- (263-189-0)  
Butylated Phenol ()  
Copolymer ester (Multipurpose) ()  
Di(2-ethylhexyl)phosphoric acid (206-056-4)  
Lubricating oils, petroleum, C15-30, hydrotreated neutral oil-based (276-737-9)  
Petroleum distillates, hydrotreated heavy naphthenic (265-155-0)  
Petroleum distillates, hydrotreated light (265-149-8)  
Petroleum distillates, hydrotreated light naphthenic (265-156-6)  
Petroleum distillates, hydrotreated middle (265-148-2)  
Dibutylamine Oleate ()  
Zinc Alkyldithiophosphate ()  
Zinc Compounds ()

**EU List of Notified Chemical  
Substances (ELINCS):** Not applicable

**Risk Phrases:** Not Applicable

**Section 16: Other Information**

<b>HMIS</b>	<b>Health:</b>	1	<b>NFPA</b>	<b>Health:</b>	1
	<b>Fire:</b>	1		<b>Fire:</b>	1
	<b>Physical Hazards:</b>	0		<b>Reactivity:</b>	0
	<b>PPE:</b>	C		<b>Special Hazards:</b>	---

This information was derived from current data and the works and opinions of persons believed to be qualified experts. To the best of our knowledge, it is believed to be accurate to the best of Torco International Corporation knowledge and reliable as of the date compiled. However, no guarantee is made as to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability and completeness of such information for his own particular use. We expressly disclaim all warranties of every kind and nature, including warranties of MERCHANTABILITY OR FITNESS FOR THE PARTICULAR PURPOSE, regarding the accuracy of such data or the results to be obtained from the use thereof.

Data supplied is for use only in connection with occupational safety and health.

**End of Material Safety Data Sheet**